

## Building Information Modeling in Residential Design using BuildersCAD

This seminar focuses on to what degree BuildersCAD fits the definition of a BIM tool. And we will look at how these capabilities were put to use in a residential project.

### What is BIM?

The concept of Building Information Modeling has actually been around for more than 20 years, though it has seen renewed interest in the last several. It seems reasonable that any discussion should begin with a definition of the term – but the industry at-large still does not agree on how to define BIM.

Below are two excerpts from an editorial published in December 2005 on [www.aecbytes.com](http://www.aecbytes.com), an online publication focused on researching, analyzing, and reviewing technology products and services for the building industry. The opinion was written by Jim Bedrick, AIA, Director of Systems Integration, Webcor Builders. I have also included the Viewpoint in its entirety beginning on page 6 of this handout. You can also read it online at:

[http://www.aecbytes.com/viewpoint/2005/issue\\_20.html](http://www.aecbytes.com/viewpoint/2005/issue_20.html)

### EXCERPT 1:

*Over the last couple of years, the term "Building Information Model" or "BIM" has gained widespread popularity. It has not, however, gained a widespread consistent definition—it's like the blind men describing the elephant. But there's a lot of fuss being generated over this particular elephant. The Construction User's Roundtable (CURT) has recommended that owners demand that their project teams collaborate using BIMs; CURT's biggest member, the GSA, is demanding their use; and the AIA is actively redefining the practice of architecture to take advantage of this technology. ...*

*The ambiguity over **the definition goes as deep as whether BIM is or is not fundamentally different from CAD. I will come down on the side of "is."** I will also propose that **BIM's value is not simply as a better drafting tool, but as an enabler of significant process improvement in the design and construction of buildings;** therefore, we should work towards a definition of BIM based on function. BIM is already transforming the way many of us work—we should actively guide that transformation rather than simply following wherever it happens to take us. ...*

### EXCERPT 2:

*In order to understand the fundamental difference between CAD and BIM, and to see BIM's potential for process improvement, it helps to look at some functional definitions of data, information, and knowledge.*

- ***Data is raw facts;** for example, a tabulation of the stress-strain relationship of a given grade of steel.*

- **Information is data given relevance and meaning:** for example, the above steel data compiled into the AISC Manual of Steel Construction.
- **Knowledge is information coupled with experience and know-how:** for example, the AISC Manual in the hands of a skilled engineer.

**CAD files are data.** The elements are lines, arcs, and circles (and sometimes surfaces and solids)—purely graphical representations of building components. A line, for example, is described by its endpoints, layer, color, linetype, etc. While in some systems, certain elements can be tagged with supplemental data, for the most part a line could be the edge of a wall, a property line, a leader arrow, or any number of other things. The CAD file itself does not include anything about the relevance and meaning of the line—that must be inferred by the viewer from the line's context and from accepted conventions.

**The advance from CAD to BIM is the jump from data to information** (after all, information is BIM's middle name). **In a BIM, the elements are simulations of building components. A wall, for example, knows it's a wall. It can know about the types and quantities of materials it includes, its fire rating, sound transmission characteristics, etc.** Since the element's relevance to other components and its meaning to the building are embedded within the BIM, the element can simulate an actual building component's behavior, such as its load-bearing capacity or its response to heating and cooling loads.

**The most significant process improvement that this inclusion of relevance and meaning enables is radically improved collaboration** among the wide-ranging skills and expertise needed to design and construct a modern building. Having such information readily at hand supports rich sharing of knowledge.

The fragmentation of our industry and the costs of that fragmentation are well known. Over the last century, the number of specialists involved in a building has exploded, but the feedback from these specialists to the designer happens only at discrete points and with varying frequency. It is this discontinuity which causes much of the coordination errors and rework that plague the design and construction process.

Take cost estimating as an example. At best, the architect will usually get a cost estimate at the mid- and end-points of each of the design phases, and it will take two to three weeks for the builder or cost consultant to produce each estimate. A lot of design work goes on from one estimate to the next—if the architect has inadvertently gone down a path that is driving the project over-budget, the delay in feedback can cause a great deal of work to be wasted.

**Today's full-fledged BIM tools, however, can extract material and assembly quantities directly from a model and feed them to a cost database, radically increasing the speed, accuracy, and possible frequency of the estimates. In this scheme, cost feedback can be used to guide the design rather than repair it through so-called "value engineering"—after-the-fact cost-cutting that often compromises the design. ...**

#### **BCAD Services**

Training, support & sales for BuildersCAD  
 Also: CAD services, construction estimating & rendering  
 145 River Bend Drive; Carlton, GA 30627  
 706-797-3324, [support@bcadservices.com](mailto:support@bcadservices.com)

## **Is BuildersCAD a BIM tool?**

If we use Bedrick's "definition", we can derive that a BIM tool is a modeler that is able to extract material and assembly quantities directly from the model and feed them to a cost database. You also need the ability to collaborate with the owner and/or other trades as the model develops to avoid problems that can develop during the design process. In many respects, BuildersCAD does offer what Bedrick describes as BIM capability – and BuildersCAD has been offering this for more than 15 years.

## **BuildersCAD's BIM Capabilities Applied in a Project**

BCAD Services' clients Tom and BB Webb own approximately 30 acres in Carl, Georgia. The Webbs purchased a 100-plus-year-old farm house that was scheduled to be razed in nearby Commerce, Georgia, and had the house disassembled and moved to their property in Carl.

They wanted to remove the original roof and rebuild it with a steeper pitch, so that the area that previously served as an "attic" would be able to accommodate a second floor master suite, including: a sitting area, bedroom, bathroom and office.

They felt confident in approaching this rebuild because they had done it before. The Webbs own a second home in Carl that they have renovated and converted into a special events facility called the Carl House, <http://www.carlhouse.com/>.

The Webbs had general ideas about how they wanted their re-built house to look, but they needed help developing and envisioning these ideas. Their eventual goal is to use the reconstructed farm house as their main home and the focal point of an estate.

Using BuildersCAD, and information gathered on two site visits and many "on-line" meetings with the Webbs, via eZ, we developed a model of what the completed house would look like. Then from that model we developed construction drawings including a roof framing plan and framing takeoffs. We also used the BuildersCAD model in conjunction with the home site modeled in Topographer to help the Webbs decide whether they wanted their home reconstructed on a crawl space, partial basement or full basement. (They chose the full basement option, and used the area for the childrens' bedrooms, a play/entertainment area for the kids, a bathroom for the kids, a kitchen/laundry area for the kids, a workout room for the family and a second downstairs bathroom that included a door to the outside.) You can view the 3D model and fly-around movie BCAD Services created for the Webbs by visiting our Web site at: <http://www.bcadservices.com/modelingexample.htm>.

### **BCAD Services**

*Training, support & sales for BuildersCAD*  
*Also: CAD services, construction estimating & rendering*  
145 River Bend Drive; Carlton, GA 30627  
**706-797-3324, [support@bcadservices.com](mailto:support@bcadservices.com)**

Using BuildersCAD, we were able to deliver a detailed framing takeoff along with a roof framing plan before we finished the other construction drawings. This was timely information available to the Webbs' contractor, which we made available via our FTP site. This helped the contractor develop a complete budget for the Webbs while BCAD Services completed the construction drawings.


**Photo of Webbs' historical farmhouse before it was disassembled and moved from its original site:**



**BCAD Services**

*Training, support & sales for BuildersCAD*  
*Also: CAD services, construction estimating & rendering*  
145 River Bend Drive; Carlton, GA 30627  
706-797-3324, [support@bcadservices.com](mailto:support@bcadservices.com)

The 3D model of the Webbs' proposed reconstruction and renovation of the farmhouse:



**BCAD Services**

*Training, support & sales for BuildersCAD*  
*Also: CAD services, construction estimating & rendering*  
145 River Bend Drive; Carlton, GA 30627  
706-797-3324, [support@bcadservices.com](mailto:support@bcadservices.com)

## **BIM and Process Improvement**

---

Jim Bedrick, AIA, Director of Systems Integration, Webcor Builders



Over the last couple of years, the term "Building Information Model" or "BIM" has gained widespread popularity. It has not, however, gained a widespread consistent definition—it's like the blind men describing the elephant. But there's a lot of fuss being generated over this particular elephant. The Construction User's Roundtable (CURT) has recommended that owners *demand* that their project teams collaborate using BIMs; CURT's biggest member, the GSA, *is* demanding their use; and the AIA is actively redefining the practice of architecture to take advantage of this technology (see the "[Change is Now](#)" series in the AIA's online newsletter AIArchitect).

The ambiguity over the definition goes as deep as whether BIM is or is not fundamentally different from CAD. I will come down on the side of "is." I will also propose that BIM's value is not simply as a better drafting tool, but as an enabler of significant process improvement in the design and construction of buildings; therefore, we should work towards a definition of BIM based on function. BIM is already transforming the way many of us work—we should actively guide that transformation rather than simply following wherever it happens to take us.

### **Process change**

We continually hear and read that "it's not about the technology, it's about the process." This refrain has two problems. First, it's not about the process either—it's about the buildings! Neither a technology nor a process is worth the pixels it lights up unless it helps us design and/or build better, faster, and/or cheaper.

Second, the constant repetition of this mantra often leads to the development of less than optimal processes. I have seen many process-improvement efforts start with a conscious decision to defer

consideration of technology until after the process is designed. Since "it's not about the technology, it's about the process," the team designs the process and only then looks for the technology to support it. The drawback to this approach is that processes often exist that would not be possible without certain technologies. Deferring the consideration of technology prevents recognition of these processes, and often leads to "paving the cowpath"—simply automating the old way of working. The adoption of CAD is a perfect example of this—what we have done is to simply replace the pencil with a mouse, and computerize the production of the flat drawings that have been the basis of architectural documentation for centuries. In *Reengineering the Corporation* (Michael Hammer and James Champy, HarperBusiness, 1993), the authors stress the enabling role of technology in process improvement, and emphasize that we should be asking, "How can we use technology to allow us to do things that we are *not* already doing?"

In recapping the recent Australian National Museum project, Steve Ashton (Ashton Raggatt McDougall) and Robert Peck (Robert Peck von Hartel Trethowan) described the traditional design and construction process as follows (I suspect only partially tongue-in-cheek):

Designer imagines an idea in 3D to solve a client's program.  
Designer deconstructs 3D ideas to 2D representations.  
Designer passes 2D representations to the construction team.  
Construction team gets fabricators to redraw parts, again in 2D.  
Construction team attempts to reassemble the 2D information into 3D objects.  
Designer is often amazed by the outcome!

I doubt that we are following this process because it's the best way of doing things. We are following it because for centuries we have had to communicate design intent via paper, and paper is 2D.

### **Data, Information, and Knowledge**

In order to understand the fundamental difference between CAD and BIM, and to see BIM's potential for process improvement, it helps to look at some functional definitions of data, information, and knowledge.

*Data* is raw facts; for example, a tabulation of the stress-strain relationship of a given grade of steel.  
*Information* is data given relevance and meaning; for example, the above steel data compiled into the AISC Manual of Steel Construction.  
*Knowledge* is information coupled with experience and know-how; for example, the AISC Manual in the hands of a skilled engineer.

CAD files are data. The elements are lines, arcs, and circles (and sometimes surfaces and solids)—purely graphical representations of building components. A line, for example, is described by its endpoints, layer, color, linetype, etc. While in some systems, certain elements can be tagged with supplemental data, for the most part a line could be the edge of a wall, a property line, a leader arrow, or any number of other things. The CAD file itself does not include anything about the relevance and meaning of the line—that must be inferred by the viewer from the line's context and from accepted conventions.

The advance from CAD to BIM is the jump from data to information (after all, information is BIM's middle name). In a BIM, the elements are simulations of building components. A wall, for example, knows it's a wall. It can know about the types and quantities of materials it includes, its

fire rating, sound transmission characteristics, etc. Since the element's relevance to other components and its meaning to the building are embedded within the BIM, the element can simulate an actual building component's behavior, such as its load-bearing capacity or its response to heating and cooling loads.

## **Collaboration**

The most significant process improvement that this inclusion of relevance and meaning enables is radically improved collaboration among the wide-ranging skills and expertise needed to design and construct a modern building. Having such *information* readily at hand supports rich sharing of *knowledge*.

The fragmentation of our industry and the costs of that fragmentation are well known. Over the last century, the number of specialists involved in a building has exploded, but the feedback from these specialists to the designer happens only at discrete points and with varying frequency. It is this discontinuity which causes much of the coordination errors and rework that plague the design and construction process.

Take cost estimating as an example. At best, the architect will usually get a cost estimate at the mid- and end-points of each of the design phases, and it will take two to three weeks for the builder or cost consultant to produce each estimate. A lot of design work goes on from one estimate to the next—if the architect has inadvertently gone down a path that is driving the project over-budget, the delay in feedback can cause a great deal of work to be wasted.


Today's full-fledged BIM tools, however, can extract material and assembly quantities directly from a model and feed them to a cost database, radically increasing the speed, accuracy, and possible frequency of the estimates. In this scheme, cost feedback can be used to *guide* the design rather than *repair* it through so-called "value engineering"—after-the-fact cost-cutting that often compromises the design.

In a collaboration between Anshen + Allen architects, Webcor Builders, and Lawrence Berkeley National Laboratory, the architect was interested in exploring the trade-offs between cost and thermal performance for some options for the building skin. For comparison and validation, the BIM-based collaboration was run in parallel with the traditional consultant feedback process.

The architects were developing the design in a BIM, but the traditional process required them to extract 2D drawings to pass to the consultants. For the energy analysis, the consultant required fourteen days to provide a narrative report on the effectiveness of the shading. However, LBNL was able to take the model directly, apply a simulation program, and produce the same narrative in one day. This allowed Anshen + Allen to try another option, and LBNL provided a full energy-consumption analysis of the new configuration in two days (see Figure 1).

### **BCAD Services**

*Training, support & sales for BuildersCAD*  
*Also: CAD services, construction estimating & rendering*  
145 River Bend Drive; Carlton, GA 30627  
**706-797-3324, [support@bcadservices.com](mailto:support@bcadservices.com)**



**Figure 1:** Medical Clinic Solar Analysis. (Courtesy Tony Rinella, Anshen + Allen)

Using the traditional 2D-based process, a cost consultant took 21 days to provide a cost estimate for the first option, while Webcor was able to extract the quantities directly from the model and provide a comparison of the two options in three days (see Figure 2).




Figure 2: Medical Clinic Cost Analysis. (Courtesy Tony Rinella, Anshen + Allen)

## BIM and VDC

What building information models allow us to do that we couldn't do effectively before is what Stanford University's Center for Integrated Facilities Engineering (CIFE) calls Virtual Design and Construction (VDC). In a nutshell, this is the use of models coupled with analysis and simulation tools to prototype the building on the computer—to simulate the building, its performance, and its construction before breaking ground.

The value of such prototyping is obvious. It is support of this process that we should be thinking about when we provide feedback to software vendors, when we "vote with our wallets" and select BIM tools for purchase, and when we implement BIM technology in our firms.

## About the Author

Jim Bedrick, AIA, is Director of Systems Integration for Webcor Builders. He is responsible for the integration of information technology and business process, directing the development and implementation of information systems to support design and construction. Jim holds degrees in both Architecture and Electrical Engineering, and has over 25 years experience in the AEC industry. After practicing architecture for ten years, he moved into the design and management of information systems for architecture firms and worldwide facilities management operations. In 2001 he joined Webcor, where his focus has been the use of information technology for simulation, coordination, communication, and knowledge sharing in design and construction

teams. Jim is the 2005 chair of the AIA's Technology in Architectural Practice advisory group, and is active in Stanford University's Center for Integrated Facilities Engineering (CIFE) and the International Alliance for Interoperability (IAI).

Webcor Builders is ranked #1 as the largest general contractor in California, and is consistently ranked among the ENR top 400 General Contractors and the Forbes 500 largest privately owned companies. Webcor has long been recognized as an innovator and leader in commercial construction.

*Note: The views expressed in Viewpoint articles are those of the individual authors and do not necessarily reflect those of AECbytes. Also, no advertising or sponsorship is accepted for Viewpoint articles.*

**If you found this article useful and have not yet subscribed to AECbytes, please consider doing so. [Subscription](#) is free, and more subscribers will allow this publication to provide more of such content to you.**

© 2003-2005 Lachmi Khemlani, AECbytes. All rights reserved. This printer-friendly version is provided as an additional service to AECbytes readers for personal, non-commercial use. Mass printing and distribution of this article violates its copyright and is strictly prohibited.